



PLOTTER AND CONSUMABLES

ACS Plotter	130 – 131
Cable Carrier Inserts	132
Rail Carrier Marking Systems	133
Markers for Terminal Blocks	134 – 135
Markers for Components	135 – 136
Markers for Cables	137
Marker Holders	138 – 139
Identification Plates	140
Carriers	141 – 144

A.C.S. Plotter VP 500



The VP500 plotter is a flexible tool for printing markers for wires, terminals, connectors, push buttons and control panels.

High volume printing of markers

The plotter has a large surface area which allow high volume printing or cards. The base plate can accept 10 cards at one time.

Specifications

Plotter:	Flat-based
Plotting area:	440 x 305 mm
Pen station:	4
Power supply input current	0.3 A max at 220 V
Power supply input voltage:	100-240V C.A. 50-60Hz
Power supply output voltage:	24v DC
Drive:	Two-phase stepping motor
Ports:	Parallel (Centronics) / USB 1.1
Language:	HPCL-based
Buffers:	16 MB
Size:	660 x 440 x 125 mm
Weight:	8 Kg.



Pen enclosure



After printing, the pen is returned to a special airtight holder within the plotter.

A.C.S. Plotter VP 500

Plotter and accessories

Order Reference	Description	Pieces per Pack
ACS PLOTTER VP 500	ACS PLOTTER VP 500	1
ACS-PLOT-BP-3 TREES	Base plates for insert ACS3 Trees (10pcs)	10
ACS-PLOT-BP-3 TREES ICS	Base plates for insert ACS3 Trees (10pcs)	10
ACS-PLOT-BP-4 TREES	Base plates for insert ACS4 Trees (10pcs)	10
ACS-PLOT-BP-ACS INSERTS	Base plate for insert ACS	1
ACS-PLOT-BP-ENTRELEC MARKERS	Base plate for Entrelec markers	1
ACS-PLOT-BP-SHEETS	Base plate for sheet labels	1
ACS-PLOT-BP-INSERTS 10x5	Base plate for Beckhoff 10X5	1
ACS-PLOT-BP-TARGA QUADRO 1-2	Base plate for Targa Quadro 1 and 2	1
FELT TIP PEN FOR LABELS	Black, Felt Tip Pen for Labels	1
INK BLACK	Black ink for ACS Plotter	1
INK CARTRIDGE	Ink Cartridges (5 pcs)	5
INK SOLVENT	Solvent for ACS Plotter ink	1
PEN PLOTTER + ADAPTER	Pen plotter + adapter	1
PEN-0,35	Pen 0.35	1
PEN-0,50	Pen 0.52	1
PEN-NON REFILL 0,35	Non-refillable Pen 0.35	1
PEN-NON REFILL 0,50	Non-refillable Pen 0.52	1
PEN-REFIL-0,35	Refillable Pen 0.35	1
PEN-REFIL-0,50	Refillable Pen 0.52	1
PEN-REACTIV	Small reactivater pump for refillable pen	1




Base Plates Plotter



Non-refillable Pen



Refillable Pen



Ink Cartridges



Matrix software

This intuitive software is so simple to use that even a first time user is able to insert and print all types of electrical components.


Order Reference	Description	Pieces per Pack
Matrix Software	Matrix Software	1

Consumables A.C.S. Plotter VP 500 – Inserts


Inserts for Cable Carriers

High quality, halogen free, divisible label plate for cables. The label plate is available in various sizes and colours.

- Temperature Range: -40° to 140 ° C
- Material: Polycarbonate
- Self extinguishing: UL94V0



4 single trees



3 single trees

Order Reference	Description	Pieces per Pack
IFCC-4x12-BL-3DTR	Insert for Cable Carrier - 4mmx12mm blue - 3 double trees	1026
IFCC-4x12-GN-3DTR	Insert for Cable Carrier - 4mmx12mm green - 3 double trees	1026
IFCC-4x12-RD-3DTR	Insert for Cable Carrier - 4mmx12mm red - 3 double trees	1026
IFCC-4x12-WT-3DTR	Insert for Cable Carrier - 4mmx12mm white - 3 double trees	1026
IFCC-4x12-YL-3DTR	Insert for Cable Carrier - 4mmx12mm yellow - 3 double trees	1026
IFCC-4x18-BL-3DTR	Insert for Cable Carrier - 4mmx18mm blue - 3 double trees	1026
IFCC-4x18-GN-3DTR	Insert for Cable Carrier - 4mmx18mm green - 3 double trees	1026
IFCC-4x18-RD-3DTR	Insert for Cable Carrier - 4mmx18mm red - 3 double trees	1026
IFCC-4x18-WT-3DTR	Insert for Cable Carrier - 4mmx18mm white - 3 double trees	1026
IFCC-4x18-YL-3DTR	Insert for Cable Carrier - 4mmx18mm yellow - 3 double trees	1026
IFCC-4x18-WT-3STR	Insert for Cable Carrier - 4mmx18mm white - 3 single trees	1440
IFCC-4x18-YL-3STR	Insert for Cable Carrier - 4mmx18mm yellow - 3 single trees	1440
IFCC-4x23-WT-3DTR	Insert for Cable Carrier - 4mmx23mm white - 3 double trees	1020
IFCC-4x23-WT-3STR	Insert for Cable Carrier - 4mmx23mm white - 3 single trees	1440
IFCC-4x23-YL-3DTR	Insert for Cable Carrier - 4mmx23mm yellow - 3 double trees	1020
IFCC-4x23-YL-3STR	Insert for Cable Carrier - 4mmx23mm yellow - 3 single trees	1440
IFCC-4x30-WT-3DTR	Insert for Cable Carrier - 4mmx30mm white - 3 double trees	1020
IFCC-4x10-WT-4STR	Insert for Cable Carrier - 4mmx10mm white - 4 single trees	2048
IFCC-4x10-YL-4STR	Insert for Cable Carrier - 4mmx10mm yellow - 4 single trees	2048
IFCC-4x12-WT-4STR	Insert for Cable Carrier - 4mmx12mm white - 4 single trees	2048
IFCC-4x12-YL-4STR	Insert for Cable Carrier - 4mmx12mm yellow - 4 single trees	2048
IFCC-4x15-WT-4STR	Insert for Cable Carrier - 4mmx15mm white - 4 single trees	2048
IFCC-4x15-YL-4STR	Insert for Cable Carrier - 4mmx15mm yellow - 4 single trees	2048


You can find the carriers for these inserts on page 73.




Inserts for Rails and Carriers

Inserts for rails and carriers

Order Reference	Description	Layout	Pieces per Pack	Size (mm)
IFR-9x20-YL	Insert for rail-9x20-yellow	C	600	20 x 9
IFR-9x35-YL	Insert for rail-9x35-yellow	C	360	35 x 9
IFR-9x20-WT	Insert for rail-9x20-white	C	600	20 x 9
IFR-9x35-WT	Insert for rail-9x35-white	C	360	35 x 9



Rail




Layout C

Consumables ACS Plotter VP 500


Inserts for Rail Carrier Marking Systems

Ideal for the marking of push buttons, warning lights, selector, tools and components of control panels.

- ACS marker and transparent protective plastic slide
- Computerised Marking
- ACS software



Layout C





Order Reference	Description	Layout	Pieces per Pack	Size (mm)
PS-8x27	Protective slide 8x27	C	480	8 x 27
PS-15x27	Protective slide 15x27	C	480	15 x 27
PS-15x49	Protective slide 15x49	C	240	15 x 49
PS-15x67	Protective slide 15x67	C	120	15 x 67
IFH-15x17-SV	Insert for Rail, Holder and Push Button 15x17-silver	C	720	15 x 17
IFH-15x17-WT	Insert for Rail, Holder and Push Button 15x17-white	C	720	15 x 17
IFH-15x27-SV	Insert for Rail, Holder and Push Button 15x27-silver	C	480	15 x 27
IFH-15x27-YL	Insert for Rail, Holder and Push Button 15x27-yellow	C	480	15 x 27
IFH-15x49-SV	Insert for Rail, Holder and Push Button 15x49-silver	C	240	15 x 49
IFH-15x67-SV	Insert for Rail, Holder and Push Button 15x67-silver	C	120	15 x 67
IFH-15x67-WT	Insert for Rail, Holder and Push Button 15x67-white	C	120	15 x 67
IFH-8x27-WT	Insert for Rail, Holder and Push Button 8x27-white	C	480	8 x 27
IFH-15x49-WT	Insert for Rail, Holder and Push Button 15x49-white	C	240	15 x 49
IFH-15x27-WT	Insert for holder/ 15x27-white	C	480	15 x 27

Consumables A.C.S. Plotter VP 500 – Markers

Markers for Terminal Blocks

High quality, halogen free label plate for terminal blocks.


- Temperature Range: -40° to 140 ° C
- Material: Polycarbonate
- Self extinguishing: UL94V0




Layout B

Order Reference	Description	Layout	Pieces per Pack	Size
MFTB-4x10-WT-WPEH	Markers for Terminal block 4x10mm white Wago, Phoenix, Entrelec, Harting	B	1024	4 x 10
MFTB-4x10-4-WT-WPEH	Markers for Terminal block 4x10mm-4mm step white Wago, Phoenix, Entrelec, Harting	B	1400	4 x 10
MFTB-5x5-5-WT-W	Markers for Terminal block 5x5mm-5mm step white Wago	B	1100	5 x 5
MFTB-5x10-5-WT-W	Markers for Terminal block 5x10mm-5mm step white Wago	B	1408	5 x 10
MFTB-5x10-5-WT-WPEH	Markers for Terminal block 5x10mm-5mm step white Wago, Phoenix, Entrelec, Harting	B	1400	5 x 10
MFTB-5x10-WT-WPEH	Markers for Terminal block 5x10mm Wago-Phoenix, Entrelec, Harting	B	1024	5 x 10
MFTB-5x15-WT-WPEH	Markers for Terminal block 5x15mm white Wago, Phoenix, Entrelec, Harting	B	1024	5 x 15
MFTB-5x15-5-WT-WPEH	Markers for Terminal block 5x15mm-5mm step white Wago, Phoenix, Entrelec, Harting	B	1400	5 x 15
MFTB-6x10-6-WT-WPEH	Markers for Terminal block 6x10mm-6mm step white Wago, Phoenix, Entrelec, Harting	B	1000	6 x 10
MFTB-6x15-WT-WPEH	Markers for Terminal block 6x15mm white Wago, Phoenix, Entrelec, Harting	B	1024	6 x 15
MFTB-12x7-WT-WIO	Markers for Terminal block 12x7mm white Wago I/O System	C	750	12 x 7
MFTB-3.5x7.5-3.5-WT-WD	Markers for Terminal block 3.5x7.5mm-3.5mm step white Weidmueller	B	1200	3.5 x 7.5
MFTB-5x7.5-5-WT-WD	Markers for Terminal block 5x7.5mm-5mm step white Weidmueller	B	1400	5 x 7.5
MFTB-5x10-5-WT-WD	Markers for Terminal block 5x10mm-5mm step white Weidmueller	B	1400	5 x 10
MFTB-5x10-WT-WDCM	Markers for Terminal block 5x10-white Weidmueller, ContaClip, Morsettitalia	B	1024	5 x 10
MFTB-5x10-WT-WD3	Markers for Terminal block 5x10-white Weidmueller-Wdu-Wdk	B	1024	5 x 10
MFTB-5x15-5-WT-WD	Markers for Terminal block 5x15mm-5mm step white Weidmueller	B	1400	5 x 15
MFTB-5x15-WT-WDC	Markers for Terminal block 5x15-white Weidmueller, ContaClip	B	1024	5 x 15
MFTB-6x10-6-WT-WD	Markers for Terminal block 6x10mm-6mm step white Weidmueller	B	1000	6 x 10
MFTB-6x10-WT-WDC	Markers for Terminal block 6x10-white Weidmueller, ContaClip	B	1024	6 x 10
MFTB-6x15-WT-WDCL	Markers for Terminal block 6x15-white Weidmueller, ContaClip, Lovato SM1 & BG	B	1024	6 x 15
MFTB-5x10-WT-C3	Markers for Terminal block 5x10mm white Cabur CBD/CBC 4 trees	B	1024	5 x 10
MFTB-5x10-WT-WiTe	Markers for Terminal block 5x10mm white Wieland, Telemecanique	B	1024	5 x 10
MFTB-5x15-WT-WiTe	Markers for Terminal block 5x15mm white Wieland, Telemecanique	B	1024	5 x 15
MFTB-6x10-WT-WiTe	Markers for Terminal block 6x10mm white Wieland, Telemecanique	B	1024	6 x 10
MFTB-6x15-WT-WiTe	Markers for Terminal block 6x15mm white Wieland, Telemecanique	B	1024	6 x 15
MFTB-5x5-5-WT-PZS	Markers for Terminal block 5x5mm-5mm step white Phoenix series ZS - 5 single trees	B	2090	5 x 5
MFTB-5x10-5-WT-PZS	Markers for Terminal block 5x10mm-5mm step white Phoenix series ZS	B	1400	5 x 10
MFTB-6x5-6-WT-PZS	Markers for Terminal block 6x5mm-6mm step white Phoenix series ZS - 5 single trees	B	2070	6 x 5
MFTB-6x10-6-WT-PZS	Markers for Terminal block 6x10mm-6mm step white Phoenix series ZS	B	1000	6 x 10


These markers can be used in the following terminal blocks: Entrelec, Wieland, Telemecanique, Weidmüller, Conta Clip, Phoenix, Cabur, Wago, Harting, Morsetti Italia, Siemens, Legrand, Woertz, Sprecher+Schuh, Allen Bradley.



Phoenix



Weidmuller



Allen Bradley



Wieland/Telemecanique

